

**EMERGING
FARM
EQUIPMENTS
INDIA**

**Extreme
Performance!**

**Manufacturers of
Widest range of
Tiller blades in India.**



Wear Resistant Technology

An ISO 9001 : 2015 Certified Company

www.farmequipmentsindia.com

ABOUT US

Emerging Farm Equipments (India) Private limited is located in India's Important Metropolitan city of Chennai - Tamilnadu. Chennai is one of the most important and busy Industrial Hub of India due to its locational Advantage. It is a Port city with all Logistical support.

In the Year 2003 the company was started as a Trading Company dealing with all types of mechanised agricultural Implement Spare Parts and later Started the Manufacturing of Mechanised agricultural Implements in the name and style of Farm Equipments Corporation. In order to be a Professional Enterprise, It was upgrades as a private limited company in the year 2008. One of the Important motto of the company is to give World best Quality Products to our Indian Farmers at affordable cost and to improve and mechanise the Indian Farming System. Very Important Spare Parts like Rotary Tiller Blades, Power Tiller Blades and PTO Drive Shafts were imported from Italy, Spain, Turkey, and China to cater to the Indian Market.

The Company's one of the Precious Brand of "STAR" "Made in Italy"  is well known in this field. The aim to supply the world's Best Quality to Our Indian Farmers at Cheaper Price was achieved through this Brand.

As a Make in India Initiative, In the year 2018, The Company Ventured into Manufacturing of all types of Tiller Blades in their Plant Located in Chennai - Tamilnadu. The Plant is having 25000 sqft area of Work space with Latest Lines of Production with Quality Engineers, Experienced Technical Workers, latest Quality Checking Equipments and Packaging and Painting Systems. The Company's Production System lines are Automated and Temperature controlled, which ensures the consistency in the quality of Forged and heat treated components. The manufacturing process is ISO certified 9001: 2015.

The promoter of this company L. Edward Joseph is experienced in this filed with a vast experience of 30 year.

The tiller blades under the registered brand name **agrilama** is being produced in our plant from the year 2019 which is well accepted in market because of the quality standards followed by us. At present, we have around 350 dealers as of now throughout India to sell our widest range of products. We keep building our dealers network to become a strong player in our segment.

OUR RANGE OF PRODUCTS



ROTARY TILLER BLADE

CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
J 1446		A = 155	L	80 X 7	14.5	46	0.950-1kg
D 1457		B = 135	L	80 X 7	14.5	57	0.950-1kg
H 1157		C = 25	L	80 X 7	14.5	57	0.950-1kg

MINI ROTARY TILLER BLADE CAPTAIN TYPE

CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
MRT CAP		A = 150					
		B = 110	L	60 X 7	12	40	0.67kg
		C = 20					



MINI ROTARY TILLER BLADE VST TYPE


CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
MRT VST		A = 145					
		B = 110	L	50 X 7	11	28	0.56kg
		C = 25					

POWER TILLER BLADE (581 - SINGLE HOLE)

CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
SH 581		A = 235					
		B = 52	C	25 X 10	11	25	0.525-0.535 kg
		C = 230					



POWER TILLER BLADE (581 - DOUBLE HOLE)

CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
		A = 235					
DH 581		B = 52	C	25 X 10	11	24	0.525-0.535 kg
		C = 230					



POWER TILLER BLADE - 581 K



CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
		A = 215					
SH 581-K		B = 55	C	25 X 10	11	25	0.500-0.520 kg
		C = 210					


POWER TILLER BLADE (MTB 581, SINGLE HOLE)

CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
		A = 205					
MTB581		B = 50	C	25 X 10	11	25	0.520-0.530 kg
		C = 215					




SH 7" Power Tiller Blade (BCS, BEEM Type)




CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
		A = 175					
SH 7"		B = 50	C	25 X 10	11	20	0.380-0.400 kg
		C = 180					

DH 7" Power Tiller Blade (GARUDA Type)


CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
DH 7"		A = 175					
		B = 50	C	25 X 10	11	24	0.360-0.380 kg
		C = 170					



PADDY TWISTER BLADE


CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
Pd12		A = 200					
		B = 115	C	40 X 6	12	28	0.500-0.520 kg

POWER TILLER BLADE (681 - SINGLE HOLE)


CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
SH 681		A = 246					
		B = 62	C	25 X 10	11	24	0.555-0.560 kg
		C = 240					



POWER TILLER BLADE (681 - DOUBLE HOLE)


CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
DH 681		A = 246					
		B = 62	C	25 X 10	11	24	0.555-0.560 kg
		C = 240					

POWER TILLER BLADE (781 - DOUBLE HOLE)

CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
		A = 255					
DH 781		B = 55	C	25 X 10	11	24	0.600-0.610 kg
		C = 240					



POWER TILLER BLADE (781 - SINGLE HOLE)


CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
		A = 255					
SH 781		B = 55	C	25 X 10	11	25	0.600-0.610 kg
		C = 240					

POWER TILLER BLADES (981 - SINGLE HOLE)


CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
		A = 240					
SH 981		B = 45	C	25 X 10	11	25	0.660-0.680 kg
		C = 235					



POWER TILLER BLADE (981 DOUBLE HOLE)

CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
		A = 240					
DH 981		B = 45	C	25 X 10	11	24	0.640-0.660 kg
		C = 235					


POWER TILLER BLADE (1081SINGLE HOLE)

CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
SH 1081		A = 235					
		B = 45	C	25 X 10	11	25	0.680-0.700 kg
		C = 235					




POWER TILLER BLADE (1081DOUBLE HOLE)



CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
DH 1081		A = 235					
		B = 45	C	25 X 10	11	24	0.680-0.700 kg
		C = 235					

POWER TILLER DRY BLADES (SINGLE HOLE)

CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
SHDRY		A = 174					
		B = 187	C	24 X 10	11	25	0.420-0.430 kg
		C = 20					




POWER TILLER DRY BLADES (DOUBLE HOLE)




CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
DHDRY		A = 174					
		B = 187	C	24 X 10	11	24	0.420-0.430 kg
		C = 20					

POWER TILLER DRY BLADES (SINGLE HOLE) KIRLOSKAR TYPE

CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
SHDRY		A = 150					
		B = 180	C	24 X 10	11	25	0.410-0.430 kg
		C = 20					



MINI DRY BLADE (SINGLE HOLE)


CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
SHDRY		A = 115					
		B = 160	C	24 X 10	11	25	0.300 kg
		C = 15					

WEEDER BLADES


CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
DHWEE		A = 220					
		B = 70	C	40 X 6	11	70	0.400-0.415 kg
		C = 230					



KISAN KRAFT C TYPE – WEEDER WET


CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
C Weeder Wet		A = 245					
		B = 65	C	40 x 6	11	70	0.460-0.480 kg
		C = 245					

BACK ROTARY WEEDER BLADES-BCS TYPE


CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
BCS Weeder		A = 190					
		B = 53	C	30 x 6	9	55	0.240-0.260 kg
		C = 195					



HONDA FJ - 500


CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
FJ - 500		A = 200					
		B = 55	C	40 x 6	8	70	0.410-0.420 kg
		C = 220					

MINI WEEDER

CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
MINI WEEDER		A = 190					
		B = 60	C	40 X 6	11	70	0.300-0.330 kg
		C = 200					



SINGLE BEND BLADE

CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
1BEND		A = 160					
		B = 50	C	22 X 6	11	19.50	0.250-0.270 kg
		C = 155					

7 Inch Type Also Available


2 BEND BLADE

CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
		A = 165					
2BEND		B = 50	C	22 X 6	11	20	0.250-0.270 kg
		C = 160					

7 Inch Type Also Available



REVERSE FORWARD TILLER BLADE

CODE NO		DIMENSIONS	CURVATURE	PLATE	HOLES	CENTRE DISTANCE	WEIGHT
		A = 235					
		B = 48	C	40 X 9	13	30	0.680 kg
		C = 235					

NOTE : All the Dimensions & Design of our products are subject to change without prior notice.

We are proud to launch the following range of Blades with Indigenous Technology.

DRY BLADES



POWER TILLER BLADES



WEEDER BLADES





All Our Products are produced with “**Wear Resistant Technology**”

AWARDS



CONTACT US

EMERGING FARM EQUIPMENTS (INDIA) PVT LTD

REGISTERED OFFICE

No.4, Sairam Street, Jothi Nagar,
Kolathur, Chennai – 600 099
Tamilnadu, India

FACTORY

No.112 & 113, Thanikachalam Nagar
Vadaperumbakkam, Madhavaram
Chennai – 600 060, Tamilnadu, India

Web - www.farmequipmentsindia.com
Mobile - +91 90 92 92 92 92 Phone - 91 - 44 - 2556 1622
Email - info@farmequipmentsindia.com